

MATERIAL SAFETY DATA SHEET DUROCK ALFACING INTERNATIONAL LTD.

1. Chemical Product and Company Identification

Product Name: DuROCK B2000 MSDS Date: January 2012

Company Identification DuROCK Alfacing International Ltd.

101B Roytec Rd Woodbridge, On

L4L 8A9

Emergency Telephone Numbers Health Emergency: 905-856-0133

Spill Emergency: 905-856-0133

2. Composition/Information on Ingredients

Product Composition

Dry powders, multi-components of silicious minerals and modified ethylene acetate copolymer.

3. Hazardous Identification

| <u>Priman</u> | / Routes of | <u>f Exposure</u> |
|---------------|-------------|-------------------|
| | | |

X Inhalation Skin Absorption ____ Eye Contact ____ Ingestion _X Skin Contact

Effects of Acute Exposure to Product

Breathing dust may cause nose, throat or lung irritation and choking. Prolonged or repeated exposure may cause lung injury including silicosis. Risk of injury depends on duration and level of exposure. May cause eye irritation and damage to cornea. May cause dry skin, redness, discomfort, irritation or burns. Ingestion of large amounts may cause intestinal distress.

Other Health Effects

Crystalline silica is a chemically inert, non combustible mineral. Prolonged exposure to respirable crystalline quartz may cause delayed lung injury. Pulmonary function may be reduced by inhalation. Smoking aggravates the effects of exposure.

4. First Aid Measures

Move victim to fresh air. Obtain medical attention for discomfort.

Flush skin with running water and wash affected areas thoroughly with soap and water.

<u>Ingestion</u>

Rinse mouth with water. DO NOT INDUCE VOMITING but drink plenty of water. Obtain medical attention for discomfort.

DUROCK ALFACING INTERNATIONAL LTD. 101B ROYTEC RD WOODBRIDGE, ON L4L 8A9 PRODUCT: B2000 MSDS DATE: JANUARY 2012

4. First Aid Measures cont.

Eye Contact

Immediately flush eyes with running water for a minimum of 20 minutes or with an ophthalmic saline solution. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention for abrasions.

If symptoms persist, contact a physician or other medical personnel.

5. Fire Fighting Measures

Flash Point: N/A

Auto-Ignition Temperature: N/A Lower Explosive Limit: N/A Upper Explosive Limit: N/A Unusual Hazards: N/A Extinguishing Agents: N/A

6. Handling and Storage

Storage Conditions

Normal precautions for dust. Store in a dry area away from water.

Handling Procedures

Precautions for nuisance dust should be provided.

7. Personal Protection

Respiratory Protection

Wear NIOSH approved respirator.

Eye Protection

Safety glasses with side shields are recommended to prevent eye contact. Wearing contact lenses when using this product under dusty conditions is not recommended.

Hand Protection

Use gloves, shoes and protective clothing to prevent skin contact.

Engineering Controls (Ventilation)

Use local exhaust or general ventilation to maintain dust levels below exposure limits in workplaces with poor ventilation and dusty conditions.

DUROCK ALFACING INTERNATIONAL LTD. PRODUCT: B2000 101B ROYTEC RD WOODBRIDGE, ON L4L 8A9

MSDS DATE: JANUARY 2012

8. Physical and Chemical Properties

Colour: Grey

State: Flowable powder

PH: Alkaline

Viscosity: None, powder Specific Gravity (Water=1): N/A Vapour Density (Air=1): N/A Vapour Pressure: N/A

Solubility in Water: N/A

Evaporation Rate (Bac_1): Not measurable

9. Stability and Reactivity

General

Product is stable but must be kept dry. Reacts with water.

Incompatible Materials and Conditions to Avoid

Must be kept dry. Cement reacts in hydrofluoric acid producing corrosive gas. Silicates react with powerful oxidizers which may cause fires.

Hazardous Decomposition

None for Cement. Crystalline silica dissolves in hydrofluoric acid and produces corrosive gas.

10. Toxicological Information

Acute Data: N/A Oral LD50 - rat: N/A Dermal LD50 - rabbit: N/A Skin irritation - rabbit: N/A Eye irritation – rabbit: N/A

11. Other Information

MSDS prepared by: DuROCK Alfacing International Limited

101B Roytec Rd Woodbridge, On L4L 8A9

Supplier: DuROCK Alfacing International Limited

101B Roytec Rd Woodbridge, On L4L 8A9

DUROCK ALFACING INTERNATIONAL LTD. 101B ROYTEC RD WOODBRIDGE, ON L4L 8A9

PRODUCT: B2000 MSDS DATE: JANUARY 2012

11. Other Information cont.

Manufacturer: DuROCK Alfacing International Limited 101B Roytec Rd

101B Roytec Rd Woodbridge, On L4L 8A9