

# MATERIAL SAFETY DATA SHEET DUROCK ALFACING INTERNATIONAL LTD.

# 1. Chemical Product and Company Identification

Chemical Name: Gemstone / Tricol

MSDS Date: April 2012

Company Identification

DuROCK Alfacing International Ltd.

101B Roytec Rd Woodbridge, On

L4L 8A9

**Emergency Telephone Numbers** 

Health Emergency: 905-856-0133 Spill Emergency: 905-856-0133

## 2. Composition/Information on Ingredients

<u>Chemical Name</u> Dipropylene Glycol Normal Butyl Ether	CAS REG NO. N/A	<u>Weight (%)</u> 0.8	TLV(mg/m³) Not listed	LC <sub>50</sub> /LD <sub>50</sub> Not listed
Ester Alcohol	25265-77-4	0.2-0.5	Not listed	LC <sub>50</sub> (oral,rat)>3000mg/kg LD <sub>50</sub> (dermal,rabbit)> 15200mg/kg
Propylene Glycol	000057-55-6	0.7-1.0	Not listed	LC <sub>50</sub> (oral,rat)>3000mg/kg LD <sub>50</sub> (dermal,rabbit)> 5000mg/kg
Nepheline Syenite	N/A	5-10	N/A	N/A
Sand	14808-60-7	30-35	Respirable	N/A
			Dust,0.1mg/m	3
Coloured quartz	N/A	30-35	Not listed	N/A
Mica Flake	N/A	0.5-1.0	Not listed	N/A
Acrylic Polymer	N/A	15-20	N/A	$LD_{50}$ (oral,rat)=5000mg/kg $LD_{50}$ (dermal,rabbit)> 5000mg/kg

# 3. Hazardous Identification

Primary Routes of Exposure

X Inhalation \_ Skin Absorption \_ Eye Contact \_ Ingestion X Skin Contact

# Effects of Acute Exposure to Product

Breathing dust may cause nose, throat or lung irritation and choking. Prolonged or repeated exposure may cause lung injury including silicosis. Risk of injury depends on duration and level of exposure. May cause eye irritation and damage to cornea. May cause dry skin, redness, discomfort, irritation or burns. Ingestion of large amounts may cause intestinal distress.

DUROCK ALFACING INTERNATIONAL LTD. 101B ROYTEC RD WOODBRIDGE, ON L4L 8A9 PRODUCT: GEMSTONE - TRICOL MSDS DATE: APRIL 2012

#### 4. First Aid Measures

#### Inhalation

Move victim to fresh air. Obtain medical attention for discomfort.

#### **Eye Contact**

Immediately flush eyes with running water for a minimum of 20 minutes or with an ophthalmic saline solution. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention for abrasions.

#### Skin Contact

Flush skin with running water and wash affected areas thoroughly with soap and water.

#### <u>Ingestion</u>

Rinse mouth with water. DO NOT INDUCE VOMITING but drink plenty of water. Obtain medical attention for discomfort.

If symptoms persist, contact a physician or other medical personnel.

## 5. Fire Fighting Measures

Flash Point: N/A

Auto-Ignition Temperature: N/A Lower Explosive Limit: N/A Upper Explosive Limit: N/A Unusual Hazards: N/A Extinguishing Agents: N/A

#### 6. Handling and Storage

#### Storage Conditions

Storage temperature should not exceed 40°C (104°F) or fall below 4°C (40°F).

#### Handling Procedures

N/A

# 7. Personal Protection

#### Respiratory Protection

NIOSH/MSHA approved respirator if required.

#### **Eye Protection**

Safety glasses with side shields are recommended to prevent eye contact. Wearing contact lenses when using this product under dusty conditions is not recommended.

DUROCK ALFACING INTERNATIONAL LTD. 101B ROYTEC RD WOODBRIDGE, ON L4L 8A9 PRODUCT: GEMSTONE - TRICOL MSDS DATE: APRIL 2012

#### 7. Personal Protection cont

#### Hand Protection

Use gloves, shoes and protective clothing to prevent skin contact.

### **Engineering Controls (Ventilation)**

Use local exhaust or general ventilation to maintain dust levels below exposure limits in workplaces with poor ventilation and dusty conditions.

# 8. Physical and Chemical Properties

PH: Alkaline Viscosity: N/A

Specific Gravity (Water=1): N/A Vapour Density (Air=1): N/A Vapour Pressure: N/A Solubility in Water: N/A

Evaporation Rate (Bac\_1): Not measurable

# 9. Stability and Reactivity

#### General

Product is stable but must be kept dry. Reacts with water.

#### Incompatible Materials and Conditions to Avoid

Must be kept dry. Cement reacts in hydrofluoric acid producing corrosive gas. Silicates react with powerful oxidizers which may cause fires.

#### Hazardous Decomposition

None for Cement. Crystalline silica dissolves in hydrofluoric acid and produces corrosive gas.

## 10. Toxicological Information

Acute Data: N/A
Oral LD50 - rat: N/A
Dermal LD50 - rabbit: N/A
Skin irritation - rabbit: N/A
Eye irritation - rabbit: N/A

DUROCK ALFACING INTERNATIONAL LTD. 101B ROYTEC RD WOODBRIDGE, ON L4L 8A9 PRODUCT: GEMSTONE - TRICOL MSDS DATE: APRIL 2012

# 11. Other Information

MSDS prepared by: DuROCK Alfacing International Limited

101B Roytec Rd Woodbridge, On L4L 8A9

Supplier: DuROCK Alfacing International Limited

101B Roytec Rd Woodbridge, On L4L 8A9

Manufacturer: DuROCK Alfacing International Limited

101B Roytec Rd Woodbridge, On

L4L 8A9